

CHP UNIT

BOMAT CONDENSING TECHNOLOGY IMPROVES ENERGY BALANCE



PARKHOTEL ST. LEONHARD

Obere St. Leonhardstraße 71, 88662 Überlingen, Germany

In 2012 a Messerschmidt/PowerTherm CHP unit with 20 kW el. is installed in addition to the BOMAT O1-GG-1064-NT-4-K-3 flue gas heat exchanger installed in an oil boiler in 2005. A BOMAT flue gas heat exchanger is also used downstream. The BOMAT O1-GG-1522-NT-4-K-6 from the CHP series is installed in the heating system via an energy storage device.

Heat generator:	PowerTherm 20 CHP unit
Fuel:	<input type="radio"/> Fuel oil <input checked="" type="radio"/> Natural gas <input type="radio"/> Sewer gas <input type="radio"/> Biogas
Exhaust gas heat exchanger:	O1-GG-1522-NT-4-K-6 (year of manufacture: 2012)
Heat recovery per year:	approx. 48,000 kWh
CO₂ reduction per year:	approx. 9,600 kg
Plant manufacturer:	Bommer GmbH, Rengoldshauser Str. 12, 88662 Überlingen, Germany

➔ Payback period **less than 3 YEARS.**



BOMAT Heiztechnik GmbH

Zum Degenhardt 49
88662 Überlingen

T +49(0)75 51.80 99 70
F +49(0)75 51.80 99 71

info@bomat.de
www.bomat.de

A member of the
puren Group

